

## DOCUMENT RESUME

ED 127 142

SE 020 892

AUTHOR Uprichard, A. Edward; Phillips, E. Fay  
TITLE An Intraconcept Analysis of Rational Number Subtraction: A Validation Study.  
PUB DATE Apr 76  
NOTE 19p.; Paper presented at the annual meeting of the American Educational Research Association (San Francisco, California, April 19-23, 1976); Not available in hard copy due to light and broken type throughout

EDRS PRICE MF-\$0.83 Plus Postage. HC Not Available from EDRS.  
DESCRIPTORS Elementary Education; \*Elementary School Mathematics; \*Fractions; Learning; \*Learning Processes; Mathematics Education; \*Research; \*Subtraction; \*Validity  
IDENTIFIERS \*Sequences (Mathematics)

## ABSTRACT

The purpose of this study was: (a) to develop a learning hierarchy for rational number subtraction using intraconcept analysis, and (b) to validate that hierarchy using the Walbesser technique and pattern analysis. Skills required to complete tasks within the hierarchy were operationally defined and ordered from both a mathematical and psychological point of view. A test utilizing an item for each level in the hierarchy was administered to a sample of 200 children in grades four through eight. The final hierarchy generated and important implications for prescriptive instruction relative to subtraction of rationals are discussed. The specific tasks used in the study are appended. The initial hypothesized ordering of these tasks and the empirically determined hierarchy are presented. (Author/SD)

\*\*\*\*\*  
\* Documents acquired by ERIC include many informal unpublished \*  
\* materials not available from other sources. ERIC makes every effort \*  
\* to obtain the best copy available. Nevertheless, items of marginal \*  
\* reproducibility are often encountered and this affects the quality \*  
\* of the microfiche and hardcopy reproductions ERIC makes available \*  
\* via the ERIC Document Reproduction Service (EDRS). EDRS is not \*  
\* responsible for the quality of the original document. Reproductions \*  
\* supplied by EDRS are the best that can be made from the original. \*  
\*\*\*\*\*

6.65

UNCLASSIFIED

U.S. DEPARTMENT OF HEALTH  
EDUCATION & WELFARE  
NATIONAL INSTITUTE OF  
EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY.

# An Intraconcept Analysis of Rational Number Subtraction: A Validation Study

A. Edward Uprichard and E. Ray Phillips  
University of South Florida

ED127142

In previous studies, researchers have attempted to generate learning hierarchies using task analysis based primarily on epistemological considerations (Gagne & Paradise, 1961; Gagne, 1962; Cox & Graham, 1966; Uprichard, 1970; Okey & Gagne, 1970; Harke, 1971; Riban, 1971; Phillips & Kane, 1973; Miller & Phillips, 1975). Studies of this type conducted in the early sixties provide substantial evidence to support the hierarchical structure of knowledge (Gagne & Paradise, 1961; Gagne & Brown, 1961; Gagne, 1962, 1963; Gagne, Mayor, Garstens & Paradise, 1962; Gagne & Staff, 1965). An examination of results from recent studies (Neidermeyer, Brown & Sulzen, 1969; Brown, 1970; Phillips & Kane, 1973; Callahan & Robinson, 1973) suggests that optimal learning sequences can be developed by sequencing instructional materials according to validated learning hierarchies. However, both Gagne (1968) and Pyatte (1969) have pointed out that the determination of an optimal or hierarchical sequence of subtasks from simplest to most complex is not easily achieved.

Numerous hierarchy validation techniques have appeared in the literature. Critical analyses of the efficacy of these techniques are also reported (Resnick & Wang, 1969; Eisenberg & Walbesser, 1971; White, 1973; White, 1974a, 1974b; Phillips, 1971, 1974). Many of these techniques are concerned

020 892

with the analysis of data collected on hypothesized hierarchies. While there is considerable room for improvement, techniques such as the Walbesser Method (Walbesser, 1968) and Pattern Analysis (Rimoldi & Grib, 1960) have been used effectively in validating hypothesized hierarchies (Harke, 1971; Phillips & Kane, 1973; Miller & Phillips, 1975).

The investigators in the present study were concerned with the generation and validation of an hypothesized learning hierarchy. More specifically, the purposes of the study were: (1) to develop a learning hierarchy for rational number subtraction using the intraconcept analysis technique (Uprichard and Phillips, 1975), and (2) to test the validity of the hypothesized hierarchy using the Walbesser Technique and Pattern Analysis. The objective in doing an intraconcept analysis is to generate a series of tasks, each of which represent an operationalized level of a given concept. This technique differs from the more widely used task analysis model in that consideration is given to both psychological and content (discipline) factors in developing and hierarchically ordering tasks. Because of this, the authenticity of many tasks generated using the intraconcept analysis technique may be questioned by content area specialists. The present study, the second in series, was conducted in hopes of shedding further light on the epistemological-psychological balance needed in developing efficient or optimal instructional sequences in mathematics.<sup>1</sup>

---

<sup>1</sup>The first study, "An Intraconcept Analysis of Rational Number Addition" was presented at AERA 1975.

## PROCEDURE

Development of Hierarchy

The intraconcept analysis strategy used to analyze the subtraction of rationals in fraction form was as follows:

- a) Problems were divided into two levels - like denominators, and unlike denominators. Classes within each level were identified by the nature of (prime and composite) and relationship between (multiple or not) denominators of the two rationals subtracted. The classes, in their hypothesized order of difficulty, were:

Like Denominators

- A. Composites. ( $2/4 - 1/4 = \underline{\quad}$ )  
 B. Primes. ( $2/5 - 1/5 = \underline{\quad}$ )

Unlike Denominators

- C. Composites - one composite multiple of other.  
     ( $1/4 - 1/8 = \underline{\quad}$ )  
 D. Prime, composite - composite a multiple of prime.  
     ( $1/5 - 1/10 = \underline{\quad}$ )  
 E. Primes. ( $1/5 - 1/7 = \underline{\quad}$ )  
 F. Prime, composite - composite not multiple of  
     prime. ( $1/5 - 1/9 = \underline{\quad}$ )  
 G. Composites - not multiples. ( $1/6 - 1/8 = \underline{\quad}$ )
- b) Within each denominator class an attempt was made to generate five renaming categories. The renaming categories were operationally defined in terms of

renamings required in the difference and/or sum (minuend).<sup>2</sup>

- I. Difference - proper fraction in simplest form without renaming. ( $2/4 - 1/4 = 1/4$ )
  - II. Difference - proper fraction renamed to zero. ( $1/4 - 1/4 = 0/4 = 0$ )
  - III. Difference - proper fraction renamed to simplest form. ( $3/4 - 1/4 = 2/4 = 1/2$ )
  - IV. Renaming in sum, difference - proper fraction in simplest form without renaming. ( $1\ 1/4 - 2/4 = 5/4 - 2/4 = 3/4$ )
  - V. Renaming in sum, difference - proper fraction renamed to simplest form. ( $1\ 1/4 - 3/4 = 5/4 - 3/4 = 2/4 = 1/2$ )
- c. Two tasks involving mixed numerals (whole numbers greater than one and less than ten) were associated with each renaming category within a denominator class. A renaming category and its two related tasks is presented below:

<u>Renaming Category I</u>	<u>Task # 1</u>	<u>Task #2</u>
$2/4 - 1/4 = \underline{\hspace{1cm}}$	$3\ 2/4 - 1\ 1/4 = \underline{\hspace{1cm}}$	$3\ 2/4 - 1/4 = \underline{\hspace{1cm}}$

- d. Nine additional subtraction problems with whole number sums were included in the hierarchy. These problems are:

---

<sup>2</sup>Five renaming categories do not exist in some denominator classes.

$$1 - 1/4 = 3/4$$

$$3 - 1 1/4 = 2 4/4 - 1 1/4 = 1 3/4$$

$$3 - 1/4 = 2 4/4 - 1/4 = 2 3/4$$

$$1 - 2/4 = 2/4 - 1/2$$

$$3 - 1 2/4 = 2 4/4 - 1 2/4 = 1 2/4 = 1 1/2$$

$$3 - 2/4 = 2 4/4 - 2/4 = 2 2/4 = 2 1/2$$

$$1 - 2/3 = 1/3$$

$$3 - 1 2/3 = 2 3/3 - 1 2/3 = 1 1/3$$

### Analysis of Hierarchy

The above procedures yielded ninety-six specific tasks. In order to hold testing to a manageable size, some tasks within classes were collapsed. The final hierarchy consisted of 47 tasks. Based upon the hypothesized ordering of the subordinate tasks, a test was constructed to assess mastery at each level in the hierarchy. "Pass" was defined as correct difference expressed in simplest form. For ease in computation the tasks appeared in vertical form. The test was administered to 200 students in grades 4 through 8 in order to obtain a wide range of ability levels. The majority of the Ss were in grades 5 and 6. Subjects who passed or failed all 47 items were excluded from the study since inferences about the order of items cannot be based on responses from these students (Phillips & Kane, 1975). The resulting sample contained 174 Ss.

The patterns of responses for each transfer in the hierarchy were analyzed using both the Walbesser Technique (Walbesser, 1968) and Pattern Analysis (Rimoldi & Grib, 1960). The Walbesser Technique is based on the 2 X 2 contingency table of pass-fail responses (Figure 1).

		Item 1	
		fail (-)	pass (+)
Item 2	pass (+)	-+	++
	fail (-)	--	+-

Figure 1. Contingency Table

Using the frequency of students falling in each cell above, the following three ratios were computed for every possible relationship in the hierarchy (i.e. level 1 with 2, 1 with 3, ... 1 with 47; 2 with 3, 2 with 4, ... 2 with 47, etc.).

$$(1) \text{ Consistency Ratio} = \frac{(++)}{(++) + (+-)}$$

The value of this ratio is a measure of how consistent the data are with the hypothesized dependency.

$$(2) \text{ Adequacy Ratio} = \frac{(++)}{(++) + (--)}$$

The value of this ratio is a measure of the adequacy of the identified levels.

$$(3) \text{ Completeness Ratio} = \frac{(++)}{(++) + (--)}$$

The value of this ratio is a measure of the effectiveness of instruction.

The level of acceptability used for each of these ratios was that determined by Phillips (1971) instead of those proposed by Walbesser since no instructional sequences were involved.

These levels are: (1) Consistency Ratio .85, (2) Adequacy Ratio .70, (3) Completeness Ratio .50.

The pattern analysis technique was used to analyze the responses for the complete hierarchy on a subject by subject basis. The index of agreement given by the pattern analysis indicates the amount of agreement or correlation between two patterns. In this case, the index of agreement indicates the agreement between the observed and expected patterns. If the tasks were truly hierarchical, where each subtask was a necessary prerequisite to the next, once a learner failed a given level he would be expected to fail all subsequent levels. Thus, the expected pattern was defined as one where no correct responses followed an incorrect response.

## RESULTS

The initial hypothesized hierarchy developed using an intraconcept analysis is given in Table 1. A computer program based on the Walbesser Technique was used to give the pass-fail

---

Insert Table 1 About Here

---

response patterns between all relationships. That is, item 1 was paired with all 47 items; item 2 with all items; etc.; until all possible pairs of items were considered.

In order to analyze the hypothesized hierarchical sequence, the consistency, adequacy, and completeness ratios for each relationship within the hierarchy were examined. The ordering



which yielded the best fit to the data is shown in Table 2.

-----

Insert Table 2 About Here

-----

The pattern of responses obtained from the hypothesized ordering of subordinate tasks yielded an index of agreement of .63. After final revision, the empirical sequence yielded an index of agreement of .75 which indicates a higher agreement between the expected and observed response patterns. No statistical test of significance for the index of agreement has been developed.

The internal consistency of the test based on the initial hierarchy was determined using the Kuder-Richardson Formula 20 (Nunnally, 1967). The value of this coefficient was .96. The pattern of responses for the empirical sequence was analyzed to determine if the ordering exhibited a hierarchical structure based on item difficulty. Item difficulty of each task in the ordered sequence is given in Table 3. Although

-----

Insert Table 3 About Here

-----

there would be some discrepancies between a hierarchical sequence based on item difficulty and the ordered sequence determined, the general pattern of item difficulty of the latter is acceptable. Further, item difficulty alone is not considered an adequate technique for determining hierarchical relationships (Phillips, 1971).

## DISCUSSION AND IMPLICATIONS

An examination of the data in Table 2 (Walbesser ratios) indicates that with few exceptions task comparisons within the empirically determined hierarchy meet specified criteria on two of the three ratios. The consistency ratio was met in 34 of 46 comparisons, the Adequacy Ratio in 45 of 46, and the Completeness Ratio in 43 of 46. It should be noted that of the eleven comparisons not meeting the criteria level for the Consistency Ratio, five missed the criteria by .02 or less. The index of agreement for the hypothesized forty-seven task hierarchy was .63. After the tasks were rearranged in an empirical hierarchy based on Walbesser ratios the index of agreement was .75.

The empirically determined sequence is presented in Table 4. An examination of the sequence tends to support the following implications for teaching youngsters the subtraction of rationals in fraction form.

---

Insert Table 4 About Here

---

1. In subtracting rational numbers in fractional form, finding least common denominators is not as difficult for learners as the renaming(s) (sum and/or difference) required.
2. Within renaming categories I and II, tasks involving like denominators ( $3/4 - 2/4 = \underline{\quad}$ ;  $3 \frac{1}{2} - 2 \frac{2}{4} = \underline{\quad}$ ;

- $3/4 - 3/4 = \underline{\hspace{1cm}}$ ;  $3\ 3/4 - 3/4 = \underline{\hspace{1cm}}$ ) should be taught before proceeding to tasks involving unlike denominators ( $1/2 - 1/3 = \underline{\hspace{1cm}}$ ;  $3\ 1/2 - 2\ 2/4 = \underline{\hspace{1cm}}$ ;  $4/8 - 2/4 = \underline{\hspace{1cm}}$ ;  $3\ 4/8 - 2/4 = \underline{\hspace{1cm}}$ ).
3. Within renaming categories I and II, tasks involving unlike denominators ( $1/3 - 1/4 = \underline{\hspace{1cm}}$ ;  $4/8 - 2/4 = \underline{\hspace{1cm}}$ ) should be taught before those involving like denominators in renaming category III ( $3/6 - 1/6 = \underline{\hspace{1cm}}$ ).
  4. Within renaming category III, tasks involving unlike denominators ( $5/12 - 1/6 = \underline{\hspace{1cm}}$ ) should be taught before those involving like denominators in renaming categories IV and V ( $1\ 1/4 - 2/4 = \underline{\hspace{1cm}}$ ;  $1\ 1/6 - 3/6 = \underline{\hspace{1cm}}$ ).
  5. Within a renaming category, subtraction of two mixed numerals with whole number parts greater than one ( $6\ 1/6 - 3\ 2/4 = \underline{\hspace{1cm}}$ ) should be taught before subtraction involving one mixed numeral ( $7\ 3/6 - 3/4 = \underline{\hspace{1cm}}$ ).
  6. Tasks involving whole number sums greater than one ( $5 - 1/6 = \underline{\hspace{1cm}}$ ) should be taught after work is completed with like denominators in renaming categories IV and V ( $1\ 1/4 - 2/4 = \underline{\hspace{1cm}}$ ;  $1\ 1/7 - 2/7 = \underline{\hspace{1cm}}$ ;  $1\ 1/6 - 3/6 = \underline{\hspace{1cm}}$ ).
  7. Tasks involving whole number sums (greater than one) requiring renaming in the difference ( $6 - 1\ 2/10 = \underline{\hspace{1cm}}$ ;  $5 - 2/4 = \underline{\hspace{1cm}}$ ) should be taught before those

which require no such renaming (  $3 - 1\frac{1}{4} = \underline{\hspace{1cm}}$ ;  
 $4 - \frac{1}{6} = \underline{\hspace{1cm}}$  ).

8. Within renaming categories I, II, III the hypothesized ordering of unlike denominator classes (C, D, E, F, G) was verified. However no pattern emerges for sequencing denominator classes in renaming categories IV and V.
9. Sequencing of tasks in renaming categories IV and V is difficult. This may be a result of renaming interactions between sums and differences.

In general, the results of this study, though limited to the subtraction of rational numbers in fraction form, support the notion that both epistemological and psychological factors be considered when developing teaching sequences in mathematics. Some of the implications above would not necessarily be derived from logical analysis alone. Also, in interpreting the results of this study one must be conscientious of the limitations of indirect validation procedures. For example, confounding variables such as prior educational experience of subjects and errors of measurement must be considered.

TABLE 1  
Initial Hypothesized Hierarchy

- 
- |   |   |
|---|---|
| 1. $\frac{3}{4} - \frac{2}{4} = \underline{\hspace{1cm}}$     | 25. $\frac{5}{12} - \frac{1}{6} = \underline{\hspace{1cm}}$     |
| 2. $\frac{2}{3} - \frac{1}{3} = \underline{\hspace{1cm}}$     | 26. $\frac{2}{5} - \frac{2}{10} = \underline{\hspace{1cm}}$     |
| 3. $\frac{5}{8} - \frac{5}{8} = \underline{\hspace{1cm}}$     | 27. $\frac{6}{9} - \frac{1}{2} = \underline{\hspace{1cm}}$      |
| 4. $\frac{2}{5} - \frac{2}{5} = \underline{\hspace{1cm}}$     | 28. $\frac{3}{4} - \frac{3}{6} = \underline{\hspace{1cm}}$      |
| 5. $\frac{3}{6} - \frac{1}{6} = \underline{\hspace{1cm}}$     | 29. $3 \frac{1}{8} - 2 \frac{1}{16} = \underline{\hspace{1cm}}$ |
| 6. $3 \frac{2}{6} - 2 \frac{1}{6} = \underline{\hspace{1cm}}$ | 30. $6 \frac{3}{9} - 3 \frac{1}{3} = \underline{\hspace{1cm}}$  |
| 7. $3 \frac{4}{7} - 2 \frac{3}{7} = \underline{\hspace{1cm}}$ | 31. $8 \frac{4}{8} - 2 \frac{1}{3} = \underline{\hspace{1cm}}$  |
| 8. $1 - \frac{1}{8} = \underline{\hspace{1cm}}$               | 32. $4 \frac{1}{6} - \frac{1}{12} = \underline{\hspace{1cm}}$   |
| 9. $1 - \frac{2}{6} = \underline{\hspace{1cm}}$               | 33. $3 \frac{1}{5} - \frac{2}{10} = \underline{\hspace{1cm}}$   |
| 10. $4 - \frac{1}{6} = \underline{\hspace{1cm}}$              | 34. $5 \frac{3}{5} - \frac{3}{9} = \underline{\hspace{1cm}}$    |
| 11. $5 - \frac{2}{4} = \underline{\hspace{1cm}}$              | 35. $1 \frac{1}{8} - \frac{1}{4} = \underline{\hspace{1cm}}$    |
| 12. $3 - 1 \frac{1}{4} = \underline{\hspace{1cm}}$            | 36. $1 \frac{1}{9} - \frac{1}{3} = \underline{\hspace{1cm}}$    |
| 13. $6 - 1 \frac{2}{10} = \underline{\hspace{1cm}}$           | 37. $1 \frac{1}{5} - \frac{2}{3} = \underline{\hspace{1cm}}$    |
| 14. $1 \frac{1}{4} - \frac{2}{4} = \underline{\hspace{1cm}}$  | 38. $1 \frac{2}{5} - \frac{4}{9} = \underline{\hspace{1cm}}$    |
| 15. $1 \frac{1}{7} - \frac{2}{7} = \underline{\hspace{1cm}}$  | 39. $1 \frac{1}{8} - \frac{1}{6} = \underline{\hspace{1cm}}$    |
| 16. $1 \frac{1}{6} - \frac{3}{6} = \underline{\hspace{1cm}}$  | 40. $1 \frac{3}{18} - \frac{3}{9} = \underline{\hspace{1cm}}$   |
| 17. $\frac{1}{4} - \frac{1}{8} = \underline{\hspace{1cm}}$    | 41. $1 \frac{1}{5} - \frac{4}{10} = \underline{\hspace{1cm}}$   |
| 18. $\frac{1}{3} - \frac{1}{9} = \underline{\hspace{1cm}}$    | 42. $1 \frac{6}{9} - \frac{4}{5} = \underline{\hspace{1cm}}$    |
| 19. $\frac{1}{2} - \frac{1}{3} = \underline{\hspace{1cm}}$    | 43. $1 \frac{2}{6} - \frac{6}{9} = \underline{\hspace{1cm}}$    |
| 20. $\frac{1}{3} - \frac{1}{8} = \underline{\hspace{1cm}}$    | 44. $4 \frac{1}{5} - 2 \frac{2}{7} = \underline{\hspace{1cm}}$  |
| 21. $\frac{1}{6} - \frac{1}{8} = \underline{\hspace{1cm}}$    | 45. $6 \frac{1}{6} - 3 \frac{2}{4} = \underline{\hspace{1cm}}$  |
| 22. $\frac{1}{8} - \frac{2}{16} = \underline{\hspace{1cm}}$   | 46. $2 \frac{1}{3} - \frac{2}{5} = \underline{\hspace{1cm}}$    |
| 23. $\frac{4}{14} - \frac{2}{7} = \underline{\hspace{1cm}}$   | 47. $7 \frac{3}{6} - \frac{3}{4} = \underline{\hspace{1cm}}$    |
| 24. $\frac{5}{10} - \frac{4}{8} = \underline{\hspace{1cm}}$   |   |

TABLE 2

Walbesser's Ratios For The Empirical Ordering (N = 174)

Level	Consistency	Adequacy	Completeness
1-2	.99	.99	1.00
2-3	.99	.97	1.00
3-4	1.00	1.00	.97
4-6	.97	.91	.99
6-7	.94	.99	.96
7-8	.98	.87	.97
8-17	.90	.97	.95
17-18	.97	.95	.95
18-19	.95	1.00	.95
19-20	1.00	.96	.95
20-21	.97	.94	.94
21-22	.94	.92	.93
22-23	.99	.97	.88
23-24	.97	.94	.87
24-29	.90	.90	.90
29-30	.94	.93	.86
30-32	.94	.94	.86
32-33	.96	.92	.83
33-5	.83	.85	.86
5-25	.89	.85	.81
25-26	.84	.67	.81
26-27	.89	.83	.79
27-28	.88	.92	.76
28-14	.84	.84	.81
14-15	.92	.94	.78
15-16	.96	.89	.76
16-35	.89	.90	.75
35-36	.93	.92	.74
36-37	.89	.87	.74
37-9	.83	.84	.74
9-12	.88	.71	.66
12-10	.95	.75	.67
10-13	.94	.72	.66
13-11	.89	.75	.62
11-31	.80	.79	.69
31-39	.84	.79	.64
39-41	.85	.85	.62
41-43	.89	.72	.55
43-44	.69	.79	.52
44-38	.83	.78	.59
38-45	.86	.77	.58
45-46	.77	.88	.58
46-47	.90	.71	.55
47-40	.70	.72	.46
40-34	.57	.76	.36
34-42	.59	.44	.21

TABLE 3

## Item Difficulty - Empirical Hierarchy (47 Tasks)

Task	Difficulty	Task	Difficulty
1 (Simplest)	1.00	14	.74
2	1.00	15	.75
3	.98	16	.70
4	.98	35	.72
6	.93	36	.71
7	.97	37	.70
8	.85	9	.69
17	.93	12	.53
18	.93	10	.72
19	.96	13	.54
20	.93	11	.69
21	.91	31	.62
22	.88	39	.61
23	.87	41	.62
24	.85	43	.48
29	.83	44	.58
30	.81	38	.57
32	.80	45	.55
33	.81	46	.61
5	.78	47	.48
25	.79	40	.48
26	.78	34	.35
27	.72	42 (Most Difficult)	.31
28	.75		

TABLE 4  
Empirical Hierarchy of Tasks

- |   |  |
|---|--|
| <ol style="list-style-type: none"> <li>1. <math>3/4 - 2/4 = \underline{\hspace{1cm}}</math> (Simplest)</li> <li>2. <math>2/3 - 1/3 = \underline{\hspace{1cm}}</math></li> <li>3. <math>5/8 - 5/8 = \underline{\hspace{1cm}}</math></li> <li>4. <math>2/5 - 2/5 = \underline{\hspace{1cm}}</math></li> <li>6. <math>3 \frac{2}{6} - 2 \frac{1}{6} = \underline{\hspace{1cm}}</math></li> <li>7. <math>3 \frac{4}{7} - 2 \frac{3}{7} = \underline{\hspace{1cm}}</math></li> <li>8. <math>1 - 1/8 = \underline{\hspace{1cm}}</math></li> <li>17. <math>1/4 - 1/8 = \underline{\hspace{1cm}}</math></li> <li>18. <math>1/3 - 1/9 = \underline{\hspace{1cm}}</math></li> <li>19. <math>1/2 - 1/3 = \underline{\hspace{1cm}}</math></li> <li>20. <math>1/3 - 1/8 = \underline{\hspace{1cm}}</math></li> <li>21. <math>1/6 - 1/8 = \underline{\hspace{1cm}}</math></li> <li>22. <math>1/8 - 2/16 = \underline{\hspace{1cm}}</math></li> <li>23. <math>4/14 - 2/7 = \underline{\hspace{1cm}}</math></li> <li>24. <math>5/10 - 4/8 = \underline{\hspace{1cm}}</math></li> <li>29. <math>3 \frac{1}{8} - 2 \frac{1}{16} = \underline{\hspace{1cm}}</math></li> <li>30. <math>6 \frac{3}{9} - 3 \frac{1}{3} = \underline{\hspace{1cm}}</math></li> <li>32. <math>4 \frac{1}{6} - 1/12 = \underline{\hspace{1cm}}</math></li> <li>33. <math>3 \frac{1}{5} - 2/10 = \underline{\hspace{1cm}}</math></li> <li>5. <math>3/6 - 1/6 = \underline{\hspace{1cm}}</math></li> <li>25. <math>5/12 - 1/6 = \underline{\hspace{1cm}}</math></li> <li>26. <math>2/5 - 2/10 = \underline{\hspace{1cm}}</math></li> <li>27. <math>6/9 - 1/2 = \underline{\hspace{1cm}}</math></li> <li>28. <math>3/4 - 3/6 = \underline{\hspace{1cm}}</math></li> </ol> | <ol style="list-style-type: none"> <li>14. <math>1 \frac{1}{4} - 2/4 = \underline{\hspace{1cm}}</math></li> <li>15. <math>1 \frac{1}{7} - 2/7 = \underline{\hspace{1cm}}</math></li> <li>16. <math>1 \frac{1}{6} - 3/6 = \underline{\hspace{1cm}}</math></li> <li>35. <math>1 \frac{1}{8} - 1/4 = \underline{\hspace{1cm}}</math></li> <li>36. <math>1 \frac{1}{9} - 1/3 = \underline{\hspace{1cm}}</math></li> <li>37. <math>1 \frac{1}{5} - 2/3 = \underline{\hspace{1cm}}</math></li> <li>9. <math>1 - 2/6 = \underline{\hspace{1cm}}</math></li> <li>12. <math>3 - 1 \frac{1}{4} = \underline{\hspace{1cm}}</math></li> <li>10. <math>4 - 1/6 = \underline{\hspace{1cm}}</math></li> <li>13. <math>6 - 1 \frac{2}{10} = \underline{\hspace{1cm}}</math></li> <li>11. <math>5 - 2/4 = \underline{\hspace{1cm}}</math></li> <li>31. <math>8 \frac{4}{8} - 2 \frac{1}{3} = \underline{\hspace{1cm}}</math></li> <li>39. <math>1 \frac{1}{8} - 1/6 = \underline{\hspace{1cm}}</math></li> <li>41. <math>1 \frac{1}{5} - 4/10 = \underline{\hspace{1cm}}</math></li> <li>43. <math>1 \frac{2}{6} - 6/9 = \underline{\hspace{1cm}}</math></li> <li>44. <math>4 \frac{1}{5} - 2 \frac{2}{7} = \underline{\hspace{1cm}}</math></li> <li>38. <math>1 \frac{2}{5} - 4/9 = \underline{\hspace{1cm}}</math></li> <li>45. <math>6 \frac{1}{6} - 3 \frac{2}{4} = \underline{\hspace{1cm}}</math></li> <li>46. <math>2 \frac{1}{3} - 2/5 = \underline{\hspace{1cm}}</math></li> <li>47. <math>7 \frac{3}{6} - 3/4 = \underline{\hspace{1cm}}</math></li> <li>40. <math>1 \frac{3}{18} - 3/9 = \underline{\hspace{1cm}}</math></li> <li>34. <math>5 \frac{3}{5} - 3/9 = \underline{\hspace{1cm}}</math></li> <li>42. <math>1 \frac{6}{9} - 4/5 = \underline{\hspace{1cm}}</math> (Most Difficult)</li> </ol> |
|---|--|



## REFERENCES

- Brown, J. L. Effects of logical and scrambled sequences in mathematical materials on learning with programmed instruction materials. Journal of Educational Psychology, 1970, 61, 41-45.
- Callahan, L. G. & Robinson, M. L. Task-analysis procedures in mathematics instruction of achievers and underachievers. School Science and Mathematics, 1973, 73, 578-584.
- Cox, R. C. & Graham, G. T. The development of a sequentially scaled achievement test. Journal of Educational Measurement, 1963, 3, 147-150.
- Eisenberg, T. A. & Walbesser, H. H. Learning hierarchies - Numerical considerations. Journal for Research in Mathematics Education, 1971, 2, 244-256.
- Gagne, R. M., & Brown, L. T. Some factors in the programming of conceptual learning. Journal of Experimental Psychology, 1961, 62, 313-321.
- Gagne, R. M., & Paradise, N. E. Abilities and learning sets in knowledge acquisition. Psychological Monographs, 1961, 75, (458).
- Gagne, R. M. The acquisition of knowledge. Psychological Review, 1962, 69, 355-365.
- Gagne, R. M. Learning and proficiency in mathematics. The Mathematics Teacher, 1963, 56, 620-626.
- Gagne, R. M. and Staff, University of Maryland Mathematics Project. Some factors in learning non-metric geometry. Monographs of the Society for Research in Child Development, 1965, 30, 42-49.
- Gagne, R. M. Learning hierarchies. Presidential address, Division 15, American Psychological Association, 1968.
- Gagne, R. M., Major, J. R., Garstens, H. L., & Paradise, N. E. Factors in acquiring knowledge of a mathematical task. Psychological Monographs, 1962, 76, (526).
- Harke, D. J. Hierarchical analysis of the randomized multiple choice format. Journal of Research in Science Teaching, 1971, 8, 29-35.

- Miller, P. L. & Phillips, E. R. Development of a learning hierarchy for the computational skills of rational number subtraction. School Applications of Learning Theory, 1975, 7, 16-31.
- Niedermeyer, F. C., Brown, J., & Sulzen, R. Learning and varying sequences of ninth-grade mathematics materials. Journal of Experimental Education, 1969, 37, 61-66.
- Okey, J. R. & Gagne, R. M. Revisions of a science topic using evidence of performance on subordinate skills. Journal of Research in Science Teaching, 1970, 7, 321-325.
- Phillips, E. R. Validating learning hierarchies for sequencing mathematical tasks. (Doctoral dissertation, Purdue University) Ann Arbor, Michigan: University Microfilms, 1971, No. 72-8008, 171.
- Phillips, E. R. & Kane, R. B. Validating learning hierarchies for sequencing mathematical tasks in elementary school mathematics. Journal for Research in Mathematics Education, 1973, 4, 141-151.
- Phillips, E. R. Development of optimal instructional sequences. Paper presented at the Annual American Educational Research Association Meeting, Chicago, April, 1974.
- Phillips, E. R. & Kane, R. B. On validating learning hierarchies. Florida Journal of Educational Research, 1975, 16, 39-43.
- Pyatte, J. A. Some effects of unit structure of achievement and transfer. American Educational Research Journal, 1969, 6, 241-261.
- Resnick, L. B. & Wang, M. C. Approaches to the validation of learning hierarchies. Proceedings of the eighteenth annual regional conference on testing problems. Princeton, N.J., Educational Testing Service, 1969.
- Riban, D. M. On the ability to infer deficiency in mathematics from performance in physics using hierarchies. Journal of Research in Science Teaching, 1971, 8, 67-82.
- Rimoldi, H. J. A., & Grib, T. F. Pattern analysis. The British Journal of Statistical Psychology, 1960, 13, 137-149.
- Uprichard, A. E. The effect of sequence in the acquisition of three set relations; an experiment with pre-schoolers. Arithmetic Teacher, 1970, 17, 597-606.

- Uprichard, A. E. and Phillips, E. R. Intraconcept analysis of rational number addition: A validation study. Paper presented at the Annual American Educational Research Association Meeting, Washington, D.C., 1975.
- Walbesser, H. H. An evaluation model and its application. Washington, D.C.: American Association for the Advancement of Science, 1968.
- White, R. T. Learning hierarchies. Review of Educational Research, 1973, 43, 361-375.
- White, R. T. The validation of a learning hierarchy. American Educational Research Journal; 1974a, 11, 121-136.
- White, R. T. Indexes used in testing the validity of learning hierarchies. Journal of Research in Science Teaching, 1974b, 11, 61-66.